

- Berliner, J.L., Brodke D.J., Chan, V., SooHoo, N.F. & Bozic, K.J. (2016). Can preoperative patient-reported outcome measures be used to predict meaningful improvement in function after TKA? *Clinical Orthopaedics and Related Research*, Symposium: 2016 Knee Society Proceedings.
- Black, N. (2013). Patient reported outcome measures could help transform healthcare. *BMJ*, 346:167
- Browne, J.P., Bastaki, H. & Dawson, J. (2013). What is the optimal time point to assess patient-reported recovery after hip and knee replacement? A systematic review and analysis of routinely reported outcome data from the English patient-reported outcome measures program. *Health and Quality of Life Outcomes*, 11:128.
- Day, R.W., Cleeland, C.S., Wang, X.S., Fielder, S., Calhoun, J., Vauthey, J-N. et al. (2015). Patient-reported outcomes accurately measure the value of an enhanced recovery program in liver surgery. *Journal of the American College of Surgeons*, 221, ss. 1023-1030.
- Edbrooke-Childs, J., Wolpert, M. & Deighton, J. (2014). Using patient-reported outcome measures to improve service effectiveness (UPROMISE): Training clinicians to use outcome measures in child mental health. *Adm Policy Mental Health*, 43, ss. 302-308.
- Francis, D.O., McPheeters, M.L., Noud, M., Penson, D.F. & Feurer, I.D. (2016). Checklist to operationalize measurement characteristics of patient-reported outcome measures. *Systematic Reviews*, 5:129.
- Gjertsen, J-E., baste, V., Fevang, J.M., Furnes, O. & Engsaeter, L.B. (2016). Quality of life following hip fractures: results from the Norwegian hip fracture register. *BMC Musculoskeletal Disorders*, 17:265.
- Gore, C., Griffin, R., Rothenberg, T., Tallett, A., Hopwood, B., Sizmur, S., O'Keffee, C. & Warner, J.O. (2016). New patient-reported experience for children with allergic disease: development, validation and results from integrated care. *Arch Dis Child*, ss. 1-9.
- Jameson, S.S., Mason, J.M., Baker, P.N., Elson, D.W., Deehan, D.J. & Reed, M.R. (2014). The impact of Body Mass Index on patient reported outcome measures (PROMs) and complications following primary hip arthroplasty. *The Journal of Arthroplasty*, 29, ss. 1889-1898.
- Kelly, M.L., Rosenbaum, B.P., Kschetry, V.R. & Weil, R.J. (2014). Comparing clinician- and patient-reported outcome measures after hemispherectomy for ischemic stroke. *Clinical Neurology and Neurosurgery*, 126, ss. 24-29.

- Kjaer, T., Oksbjerg Dalton, S., Andersen, E., Karlsen, R., Linnet Nielsen, A., Kjaer Hansen, M., Frederiksen, K. & Johansen, C. (2016). A controlled study of use of patient-reported outcomes to improve assessment of late effects after treatment for head-and-neck cancer. *Radiotherapy and Oncology*, 119, ss. 219-228.
- Kunjur, J., Niziol, R. & Matthews, N.S. (2016). Quality of life: patient-reported outcomes after total replacement of the temporomandibular joint. *British Journal of Oral and Maxillofacial Surgery*, 54, ss. 762-766.
- Kyte, D.G., Calvert, M., van der Wees, P.J., ten Hove, R., Tolan, S. & Hill, J.C. (2015). An introduction to patient-reported outcome measures (PROMs) in physiotherapy. Debate article *Physiotherapy*, 101, ss. 119-125.
- Lavallee, D.C., Chenok, K.E., Love, R.M., Petersen, C., Holve, E., Segal, C.D. & Franklin, P.D. (2016). Incorporating patient-reported outcomes into health care to engage patients and enhance care. *Health Affairs*, 35(4), ss. 575-582.
- Marth, K., Schuller, E. & Pohl, W. (2015). Improvements in patient-reported outcomes: A prospective, non-interventional study with acridinium bromide for treatment of COPD. *Respiratory Medicine*, 109, ss. 616-624.
- Newell, D., Diment, E. & Bolton, J.E. (2016). An electronic patient-reported outcome measures system in UK chiropractic practices: a feasibility studies of routine collection of outcomes and costs. *Journal of Manipulative and Physiological Therapeutics*, 39, ss. 31-41.
- Nilsson, E., Orwelius, L. & Kristenson, M. (2016). Patient-reported outcomes in the Swedish national quality registers. *Journal of Internal medicine*, 279, ss. 141-153.
- Park, E., Cheeseborough, J.E., Souza, J.M. & Dumanian, G.A. (2016). Open repair of incisional ventral abdominal hernias with mesh leads to long-term improvement in pain interference as measured by patient-reported outcomes. *The American Journal of Surgery*, Juni 2016 online.
- Partidge, T., Carluke, I., Emmerson, K., Partington, P. & Reed, M. (2016). Improving patient-reported outcome measures (PROMs) in total knee replacement by changing implant and preserving the infrapatellar fatpad: a quality improvement project. *BMJ Quality Improvement Reports*.
- Rodrigues, I.A., Sprinkhuizen, S.M., Barthelmes, D., Blumenkranz, M., Cheung, G., Haller, J., Johnston, R., Kim, R., Klaver, C., McKibbin, M., Fariza Ngah, N., Pershing, S., Shankar, D., Tamura, H., Tufail, A., weng, C.Y., Wetsborg, I., Yelf, C., Yoshimura, N. & Gilies, M.C. (2016). Defining a minimum set of standardized

patient-centered outcome measures for macular degeneration. *American Journal of Ophthalmology*, 128, ss. 1-12.

- Stambough, J.B., Xiong, A., Baca, G.R., Wu, N., Callaghan, J.J. & Clohisy, J.C. (2016). Preoperative joint space width predicts patient-reported outcomes after total hip arthroplasty in young patients. *The Journal of Arthroplasty*, 31, ss. 429-433.
- Traeger, L., McDonnell, T.M., McCarty, C.E., Greer, J.A., El-Jawahri, A. & Temel, J.S. (2015). Nursing intervention to enhance outpatient chemotherapy symptom management: Patient-reported outcomes of a randomized controlled trial. *Cancer*, 121, ss. 3905-13.
- vanDulmen, S.A., van der Wees, P.J., Staal, J.B., Braaspenning, J.C.C. & Nijhuis-van der sanden, M.W.G. (2016). Patient reported outcome measures (PROMs) for goalsetting and outcomemeasurement in primary care physiotherapy, an explorative field study. *Physiotherapy*, in press.
- Wennergren, D., Ekholm, C., Sandelin, A. & Möller, M. (2015). The Swedish fracture register: 103 00 fractures registered. *BMC Musculoskeletal Disorders*, 16:338.
- Wong, S.E., Zhang, A.L., Berliner, J.L., Ma, B. & Feeley, B.T. (2016). Preoperative patient-reported scores can predict postoperative outcomes after shoulder arthroplasty. *Journal of Shoulder and Elbow Surgery*, 25, 913-919.